



## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

## NOTICE OF ALLOWANCE AND FEE(S) DUE

33448

7590

07/21/2008

ROBERT J. DEPKE  
LEWIS T. STEADMAN  
ROCKEY, DEPKE & LYONS, LLC  
SUITE 5450 SEARS TOWER  
CHICAGO, IL 60606-6306

EXAMINER

RENNER, CRAIG A

ART UNIT

PAPER NUMBER

2627

DATE MAILED: 07/21/2008

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/606,108	06/25/2003	Kazushi Ogawa	075834-00420	4208

TITLE OF INVENTION: MAGNETIC HEAD WITH RECTANGULAR-SHAPED PLANAR SPIRAL COIL AND LEADING CORE WIDTH SMALLER THAN TRAILING CORE WIDTH

APPLN. TYPE	SMALL ENTITY	ISSUE FEE DUE	PUBLICATION FEE DUE	PREV. PAID ISSUE FEE	TOTAL FEE(S) DUE	DATE DUE
nonprovisional	NO	\$1440	\$300	\$0	\$1740	10/21/2008

THE APPLICATION IDENTIFIED ABOVE HAS BEEN EXAMINED AND IS ALLOWED FOR ISSUANCE AS A PATENT. **PROSECUTION ON THE MERITS IS CLOSED.** THIS NOTICE OF ALLOWANCE IS NOT A GRANT OF PATENT RIGHTS. THIS APPLICATION IS SUBJECT TO WITHDRAWAL FROM ISSUE AT THE INITIATIVE OF THE OFFICE OR UPON PETITION BY THE APPLICANT. SEE 37 CFR 1.313 AND MPEP 1308.

THE ISSUE FEE AND PUBLICATION FEE (IF REQUIRED) MUST BE PAID WITHIN **THREE MONTHS FROM THE MAILING DATE OF THIS NOTICE** OR THIS APPLICATION SHALL BE REGARDED AS ABANDONED. **THIS STATUTORY PERIOD CANNOT BE EXTENDED.** SEE 35 U.S.C. 151. THE ISSUE FEE DUE INDICATED ABOVE DOES NOT REFLECT A CREDIT FOR ANY PREVIOUSLY PAID ISSUE FEE IN THIS APPLICATION. IF AN ISSUE FEE HAS PREVIOUSLY BEEN PAID IN THIS APPLICATION (AS SHOWN ABOVE), THE RETURN OF PART B OF THIS FORM WILL BE CONSIDERED A REQUEST TO REAPPLY THE PREVIOUSLY PAID ISSUE FEE TOWARD THE ISSUE FEE NOW DUE.

## HOW TO REPLY TO THIS NOTICE:

I. Review the SMALL ENTITY status shown above.

If the SMALL ENTITY is shown as YES, verify your current SMALL ENTITY status:

A. If the status is the same, pay the TOTAL FEE(S) DUE shown above.

B. If the status above is to be removed, check box 5b on Part B - Fee(s) Transmittal and pay the PUBLICATION FEE (if required) and twice the amount of the ISSUE FEE shown above, or

If the SMALL ENTITY is shown as NO:

A. Pay TOTAL FEE(S) DUE shown above, or

B. If applicant claimed SMALL ENTITY status before, or is now claiming SMALL ENTITY status, check box 5a on Part B - Fee(s) Transmittal and pay the PUBLICATION FEE (if required) and 1/2 the ISSUE FEE shown above.

II. PART B - FEE(S) TRANSMITTAL, or its equivalent, must be completed and returned to the United States Patent and Trademark Office (USPTO) with your ISSUE FEE and PUBLICATION FEE (if required). If you are charging the fee(s) to your deposit account, section "4b" of Part B - Fee(s) Transmittal should be completed and an extra copy of the form should be submitted. If an equivalent of Part B is filed, a request to reapply a previously paid issue fee must be clearly made, and delays in processing may occur due to the difficulty in recognizing the paper as an equivalent of Part B.

III. All communications regarding this application must give the application number. Please direct all communications prior to issuance to Mail Stop ISSUE FEE unless advised to the contrary.

**IMPORTANT REMINDER:** Utility patents issuing on applications filed on or after Dec. 12, 1980 may require payment of maintenance fees. It is patentee's responsibility to ensure timely payment of maintenance fees when due.

# **PART B - FEE(S) TRANSMITTAL**

**Complete and send this form, together with applicable fee(s), to:** **Mail** **Mail Stop ISSUE FEE**  
**Commissioner for Patents**  
**P.O. Box 1450**  
**Alexandria, Virginia 22313-1450**  
**or Fax** **(571)-273-2885**

**INSTRUCTIONS:** This form should be used for transmitting the ISSUE FEE and PUBLICATION FEE (if required). Blocks 1 through 5 should be completed where appropriate. All further correspondence including the Patent, advance orders and notification of maintenance fees will be mailed to the current correspondence address as indicated except below or directed otherwise in Block 1, by (a) specifying a new correspondence address; and/or (b) indicating a separate "FEE ADDRESS" for maintenance fee notifications.

CURRENT CORRESPONDENCE ADDRESS (Note: Use Block 1 for any change of address)

Note: A certificate of mailing can only be used for domestic mailings of the Fee(s) Transmittal. This certificate cannot be used for any other accompanying papers. Each additional paper, such as an assignment or formal drawing, must have its own certificate of mailing or transmission.

33448 7590 07/21/2008

ROBERT J. DEPKE  
 LEWIS T. STEADMAN  
 ROCKEY, DEPKE & LYONS, LLC  
 SUITE 5450 SEARS TOWER  
 CHICAGO, IL 60606-6306

## **Certificate of Mailing or Transmission**

I hereby certify that this Fee(s) Transmittal is being deposited with the United States Postal Service with sufficient postage for first class mail in an envelope addressed to the Mail Stop ISSUE FEE address above, or being facsimile transmitted to the USPTO (571) 273-2885, on the date indicated below.

(Depositor's name)
(Signature)
(Date)

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/606,108	06/25/2003	Kazushi Ogawa	075834.00420	4208

**TITLE OF INVENTION:** MAGNETIC HEAD WITH RECTANGULAR-SHAPED PLANAR SPIRAL COIL AND LEADING CORE WIDTH SMALLER THAN TRAILING CORE WIDTH

APPLN. TYPE	SMALL ENTITY	ISSUE FEE DUE	PUBLICATION FEE DUE	PREV. PAID ISSUE FEE	TOTAL FEE(S) DUE	DATE DUE
nonprovisional	NO	\$1440	\$300	\$0	\$1740	10/21/2008

EXAMINER	ART UNIT	CLASS-SUBCLASS
RENNER, CRAIG A	2627	360-123190

1. Change of correspondence address or indication of "Fee Address" (37 CFR 1.363).

- ☐ Change of correspondence address (or Change of Correspondence Address form PTO/SB/122) attached.  
☐ "Fee Address" indication (or "Fee Address" Indication form PTO/SB/47; Rev 03-02 or more recent) attached. Use of a **Customer Number** is required.

2. For printing on the patent front page, list

- (1) the names of up to 3 registered patent attorneys or agents OR, alternatively, 1 \_\_\_\_\_  
 (2) the name of a single firm (having as a member a registered attorney or agent) and the names of up to 2 registered patent attorneys or agents. If no name is listed, no name will be printed. 2 \_\_\_\_\_  
 3 \_\_\_\_\_

3. ASSIGNEE NAME AND RESIDENCE DATA TO BE PRINTED ON THE PATENT (print or type)

PLEASE NOTE: Unless an assignee is identified below, no assignee data will appear on the patent. If an assignee is identified below, the document has been filed for recordation as set forth in 37 CFR 3.11. Completion of this form is NOT a substitute for filing an assignment.

(A) NAME OF ASSIGNEE

(B) RESIDENCE: (CITY AND STATE OR COUNTRY)

Please check the appropriate assignee category or categories (will not be printed on the patent): ☐ Individual ☐ Corporation or other private group entity ☐ Government

4a. The following fee(s) are submitted:

- ☐ Issue Fee  
☐ Publication Fee (No small entity discount permitted)  
☐ Advance Order - # of Copies \_\_\_\_\_

4b. Payment of Fee(s): (Please first reapply any previously paid issue fee shown above)

- ☐ A check is enclosed.  
☐ Payment by credit card. Form PTO-2038 is attached.  
☐ The Director is hereby authorized to charge the required fee(s), any deficiency, or credit any overpayment, to Deposit Account Number \_\_\_\_\_ (enclose an extra copy of this form).

5. Change in Entity Status (from status indicated above)

- ☐ a. Applicant claims SMALL ENTITY status. See 37 CFR 1.27. ☐ b. Applicant is no longer claiming SMALL ENTITY status. See 37 CFR 1.27(g)(2).

NOTE: The Issue Fee and Publication Fee (if required) will not be accepted from anyone other than the applicant; a registered attorney or agent; or the assignee or other party in interest as shown by the records of the United States Patent and Trademark Office.

Authorized Signature \_\_\_\_\_ Date \_\_\_\_\_  
 Typed or printed name \_\_\_\_\_ Registration No. \_\_\_\_\_

This collection of information is required by 37 CFR 1.311. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, Virginia 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, Virginia 22313-1450.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
[www.uspto.gov](http://www.uspto.gov)

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/606,108

06/25/2003

Kazushi Ogawa

075834.00420

4208

33448

7590

07/21/2008

ROBERT J. DEPKE  
LEWIS T. STEADMAN  
ROCKEY, DEPKE & LYONS, LLC  
SUITE 5450 SEARS TOWER  
CHICAGO, IL 60606-6306

EXAMINER

RENNER, CRAIG A

ART UNIT

PAPER NUMBER

2627

DATE MAILED: 07/21/2008

## Determination of Patent Term Adjustment under 35 U.S.C. 154 (b) (application filed on or after May 29, 2000)

The Patent Term Adjustment to date is 6 day(s). If the issue fee is paid on the date that is three months after the mailing date of this notice and the patent issues on the Tuesday before the date that is 28 weeks (six and a half months) after the mailing date of this notice, the Patent Term Adjustment will be 6 day(s).

If a Continued Prosecution Application (CPA) was filed in the above-identified application, the filing date that determines Patent Term Adjustment is the filing date of the most recent CPA.

Applicant will be able to obtain more detailed information by accessing the Patent Application Information Retrieval (PAIR) WEB site (<http://pair.uspto.gov>).

Any questions regarding the Patent Term Extension or Adjustment determination should be directed to the Office of Patent Legal Administration at (571)-272-7702. Questions relating to issue and publication fee payments should be directed to the Customer Service Center of the Office of Patent Publication at 1-(888)-786-0101 or (571)-272-4200.

# Notice of Allowability

## Application No.

10/606,108

## Examiner

Craig A. Renner

## Applicant(s)

OGAWA ET AL.

## Art Unit

2627

### - The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to paper(s) filed 14 April 2008.
2. ☒ The allowed claim(s) is/are 21-38 (renumbered 4-6, 1-3 and 7-18, respectively).
3. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☒ All b) ☐ Some\* c) ☐ None of the:
    1. ☒ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
  5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
    - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
      - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
    - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

## Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO/SB/08),  
Paper No./Mail Date 24 January 2008.
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application
6. ☐ Interview Summary (PTO-413),  
Paper No./Mail Date \_\_\_\_\_.
7. ☒ Examiner's Amendment/Comment
8. ☐ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_.

/Craig A. Renner/  
Primary Examiner, Art Unit 2627

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Robert J. Depke on 17 July 2008.

2. The application has been amended as follows:

IN THE TITLE:

The title has been amended to read as follows:

--MAGNETIC HEAD WITH RECTANGULAR-SHAPED PLANAR SPIRAL COIL AND  
LEADING CORE WIDTH SMALLER THAN TRAILING CORE WIDTH--.

IN THE CLAIMS:

The claim listing has been amended to read as follows:

1-20. (Canceled).

21. (Previously Presented) A magnetic head assembly for a helical scan drive comprising:

a magnetic recording head, having a leading side and a trailing side relative to the traveling direction of a magnetic recording medium and fabricated in a thin film forming process, at least one auxiliary member adhered to either said leading side or said trailing side of said magnetic recording head, said magnetic recording head mounted in a helical scan drive and including:

a substrate,

a first magnetic core formed above said substrate and having a substantially rectangular-shaped front end face,

a second magnetic core formed above said substrate and having a front portion, a substantially rectangular-shaped front end face, and a back portion, said back portion being connected to said first magnetic core,

a magnetic gap of predetermined thickness provided between said front end face of said first magnetic core and said front end face of said second magnetic core,

a planar spiral coil having a portion thereof disposed between said first magnetic core and said second magnetic core for developing a magnetic flux between the first and second magnetic cores,

wherein a width of said second magnetic core front end face is smaller than a width of said first magnetic core front end face; and

wherein the first magnetic core and the second magnetic core each has a narrow region located nearest to the recording medium and a widening portion wherein the width of the cores each increases, the first magnetic core and the second magnetic core each has a widened portion that is substantially wider than the region located nearest the recording medium and which is adjacent the widening portions and the coil portion is located between the first and second magnetic cores only at the widened portions of the first and second magnetic cores, the widened portions having a generally constant width at the location of the coil portion, and further wherein the planar spiral coil is rectangular-shaped and the portion of the coil between the widened portions of the magnetic cores is at a longer side of the rectangular-shaped planar spiral coil.

22. (Previously Presented) The magnetic head assembly for a helical scan drive according to claim 21, wherein said planar spiral coil and each of the first and second magnetic cores are separated by a non-magnetic film in the area between the first and second magnetic cores.

23. (Previously Presented) The magnetic head assembly for a helical scan drive according to claim 21, wherein a first non-magnetic film portion is provided between the substrate and the planar spiral coil outside of the area between the first and second magnetic cores, and a second non-magnetic film portion is provided between the first magnetic core and the planar spiral coil in the area between the first and second magnetic cores, the non-magnetic film portions providing a level surface for the formation of the planar spiral coil in a same plane inside and outside of the region defined by the overlap of the first and second magnetic cores.

24. (Previously Presented) A magnetic head assembly for a helical scan drive comprising:

a magnetic recording head, having a leading side and a trailing side relative to the traveling direction of a magnetic recording medium and fabricated in a thin film forming process, at least one auxiliary member adhered to either said leading side or said trailing side of said magnetic recording head, said magnetic recording head mounted in a helical scan drive and including:

a substrate,

a first magnetic core formed above said substrate and having a substantially rectangular-shaped front end face,

a second magnetic core formed above said substrate and having a front portion, a substantially rectangular-shaped front end face, and a back portion, said back portion being connected to said first magnetic core,



a magnetic gap of predetermined thickness provided between said front end face of said first magnetic core and said front end face of said second magnetic core,

a planar spiral coil having a portion thereof disposed between said first magnetic core and said second magnetic core for developing a magnetic flux between the first and second magnetic cores, wherein a width of said second magnetic core front end face is smaller than a width of said first magnetic core front end face; and

wherein the planar spiral coil is rectangular-shaped and a portion of the coil between widened portions of the magnetic cores is at a longer side of the rectangular-shaped planar spiral coil.

25. (Previously Presented) The magnetic head assembly for a helical scan drive according to claim 24, wherein said planar spiral coil and each of the first and second magnetic cores are separated by a non-magnetic film in the area between the first and second magnetic cores.

26. (Previously Presented) The magnetic head assembly for a helical scan drive according to claim 24, wherein a first non-magnetic film portion is provided between the substrate and the planar spiral coil outside of the area between the first and second magnetic cores, and a second non-magnetic film portion is provided between the first magnetic core and the planar spiral coil in the area between the first and second magnetic cores, the non-magnetic film portions providing a level surface for

Art Unit: 2627

the formation of the planar spiral coil in a same plane inside and outside of the region defined by the overlap of the first and second magnetic cores.

27. (Currently Amended) A magnetic recording system including a magnetic head assembly for a helical scan drive and a magnetic tape recording medium, the magnetic head assembly comprising:

a magnetic recording head, having a leading side and a trailing side relative to the traveling direction of the magnetic tape recording medium and fabricated in a thin film forming process, at least one auxiliary member adhered to either said leading side or said trailing side of said magnetic recording head, said magnetic recording head mounted in a helical scan drive and including:

a substrate,

a first magnetic core formed above said substrate and having a substantially rectangular-shaped front end face,

a second magnetic core formed above said substrate and having a front portion, a substantially rectangular-shaped front end face, and a back portion, said back portion being connected to said first magnetic core,

a magnetic gap of predetermined thickness provided between said front end face of said first magnetic core and said front end face of said second magnetic core,

a planar spiral coil having a portion thereof disposed between said first magnetic core and said second magnetic core for developing a magnetic flux between the first and second magnetic cores,

wherein a width of said second magnetic core front end face is smaller than a width of said first magnetic core front end face,

wherein said smaller second magnetic core front end face is formed on said leading side of the magnetic recording head such that the second magnetic core front end face passes across the magnetic tape recording medium before the first magnetic core front end face; and

wherein the planar spiral coil is rectangular-shaped and a portion of the coil between widened portions of the magnetic cores is at a longer side of the rectangular-shaped planar spiral coil, the spiral coil being separated from the magnetic core portions by non-magnetic material.

28. (Currently Amended) The magnetic recording system according to claim 27, wherein the first magnetic core and the second magnetic core each has a narrow region located nearest to the recording medium and a widening portion wherein the width of the cores each increases, the first magnetic core and the second magnetic core each has ~~[[a]]~~ the widened portion thereof that is substantially wider than the region located nearest the recording medium and which is adjacent the widening portions and the coil portion is located between the first and second magnetic cores only at the widened portions of the first and second magnetic cores, the widened portions having a generally constant width at the location of the coil portion, ~~and further wherein the planar spiral coil is rectangular-shaped and the portion of the coil between the widened~~

Art Unit: 2627

portions of the magnetic cores is at a longer side of the rectangular shaped planar spiral coil.

29. (Previously Presented) The magnetic recording system according to claim 27, wherein said planar spiral coil and each of the first and second magnetic cores are separated by a non-magnetic film in the area between the first and second magnetic cores.

30. (Previously Presented) The magnetic recording system according to claim 27, wherein a first non-magnetic film portion is provided between the substrate and the planar spiral coil outside of the area between the first and second magnetic cores, and a second non-magnetic film portion is provided between the first magnetic core and the planar spiral coil in the area between the first and second magnetic cores, the non-magnetic film portions providing a level surface for the formation of the planar spiral coil in a same plane inside and outside of the region defined by the overlap of the first and second magnetic cores.

31. (Previously Presented) The magnetic recording system according to claim 28, wherein said planar spiral coil and each of the first and second magnetic cores are separated by a non-magnetic film in the area between the first and second magnetic cores.

32. (Previously Presented) The magnetic recording system according to claim 28, wherein a first non-magnetic film portion is provided between the substrate and the planar spiral coil outside of the area between the first and second magnetic cores, and a second non-magnetic film portion is provided between the first magnetic core and the planar spiral coil in the area between the first and second magnetic cores, the non-magnetic film portions providing a level surface for the formation of the planar spiral coil in a same plane inside and outside of the region defined by the overlap of the first and second magnetic cores.

33. (Previously Presented) A method of recording information onto a magnetic tape, the method comprising the steps of:

providing a magnetic recording head, having a leading side and a trailing side relative to the traveling direction of the magnetic tape and fabricated in a thin film forming process, at least one auxiliary member adhered to either said leading side or said trailing side of said magnetic recording head, said magnetic recording head mounted in a helical scan drive and including:

a substrate,

a first magnetic core formed above said substrate and having a substantially rectangular-shaped front end face,

a second magnetic core formed above said substrate and having a front portion, a substantially rectangular-shaped front end face, and a back portion, said back portion being connected to said first magnetic core,

a magnetic gap of predetermined thickness provided between said front end face of said first magnetic core and said front end face of said second magnetic core, and

a planar spiral coil having a portion thereof disposed between said first magnetic core and said second magnetic core for developing a magnetic flux between the first and second magnetic cores,

wherein a width of said second magnetic core front end face is smaller than a width of said first magnetic core front end face,

causing the magnetic recording head to come into contact with the magnetic tape in such a manner that the second magnetic core front end face passes across the magnetic tape before the first magnetic core front end face; and

wherein the planar spiral coil is rectangular-shaped and a portion of the coil between widened portions of the magnetic cores is at a longer side of the rectangular-shaped planar spiral coil, the spiral coil being separated from the magnetic core portions by non-magnetic material.

34. (Currently Amended) The method of recording information onto a magnetic tape according to claim 33, wherein the first magnetic core and the second magnetic core each has a narrow region located nearest to ~~a recording medium~~ the magnetic tape and a widening portion wherein the width of the cores each increases, the first magnetic core and the second magnetic core each has ~~[[a]]~~ the widened portion thereof that is substantially wider than the region located nearest the magnetic tape ~~recording medium~~ and which is adjacent the widening portions and the coil portion is

located between the first and second magnetic cores only at the widened portions of the first and second magnetic cores, the widened portions having a generally constant width at the location of the coil portion, ~~and further wherein the planar spiral coil is rectangular shaped and the portion of the coil between the widened portions of the magnetic cores is at a longer side of the rectangular shaped planar spiral coil.~~

35. (Previously Presented) The method of recording information onto a magnetic tape according to claim 33, wherein said planar spiral coil and each of the first and second magnetic cores are separated by a non-magnetic film in the area between the first and second magnetic cores.

36. (Previously Presented) The method of recording information onto a magnetic tape according to claim 33, wherein a first non-magnetic film portion is provided between the substrate and the planar spiral coil outside of the area between the first and second magnetic cores, and a second non-magnetic film portion is provided between the first magnetic core and the planar spiral coil in the area between the first and second magnetic cores, the non-magnetic film portions providing a level surface for the formation of the planar spiral coil in a same plane inside and outside of the region defined by the overlap of the first and second magnetic cores.

37. (Previously Presented) The method of recording information onto a magnetic tape according to claim 34, wherein said planar spiral coil and each of the first

and second magnetic cores are separated by a non-magnetic film in the area between the first and second magnetic cores.

38. (Previously Presented) The method of recording information onto a magnetic tape according to claim 34, wherein a first non-magnetic film portion is provided between the substrate and the planar spiral coil outside of the area between the first and second magnetic cores, and a second non-magnetic film portion is provided between the first magnetic core and the planar spiral coil in the area between the first and second magnetic cores, the non-magnetic film portions providing a level surface for the formation of the planar spiral coil in a same plane inside and outside of the region defined by the overlap of the first and second magnetic cores.



3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Craig A. Renner whose telephone number is (571) 272-7580. The examiner can normally be reached on Tuesday-Friday 9:00 AM - 7:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, A. L. Wellington can be reached on (571) 272-4483. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Craig A. Renner/  
Primary Examiner, Art Unit 2627

CAR